



NAGPUR MUNICIPAL CORPORATION

OFFICE OF THE EXECUTIVE ENGINEER
MAHANAGARPALIKA MARG, CIVIL LINES NAGPUR - 440 001
☎ 0712 - 2542831, ☎ (Fax) 2561584

Quotation Notice

Executive Engineer NMC invites Quotation for the following work. These Quotations can be Submitted by the Entrepreneur working in this sector of their authorized Dealer/Manufacturer Quotations shall be submitted Office of The Executive Engineer, 5th floor, "B" Wing, NMC, Civil Lines, Nagpur.

IMAGE OF NON SOR ITEMS			
Sr. No	Item Name	Qty	Unit
	Providing and fixing Signage on ACP Board having a size of 29(L)x2.5(H)x0.25(D) in feet. Letters "Vasudhaiva Kutumbakam" in font as per the given image. The total inches - 350. letters in SS in Bronze/RoseGold finish. SS backlit in SS grade 304 and solid acrylic.	1	No.
	MS Railing with CNC Cut designer jali. Outer frame in MS Pipe 2"x4". Frame Size Length 1M x Height 0.91M.	150	Mtr.
	Providing and fixing Wall cladding with Mars green quartz stone with acid itching CNC having thickness of 15-18 mm	70	Sqm.
	Providing and fixing inground recessed Stainless steel body non integral 1W cutout 25mmx35mmx55mm Stainless Steel body. Make suncity/ hybec 3K. With outdoor driver IP67. Warranty on complete product for 2years.	216	No.
	Fountain work in Circular Space of 6m diameter	1	No.


Note :-


- 1 Right to Reject any or all Quotation without issuing any reason is reserved by the Municipal Commissioner, NMC, Nagpur.
- 2 Rates quoted shall be excluding GST
- 3 Rates shall be quoted for single unit
- 4 Quotation shall be submitted to the Executive Engineer, NMC, Nagpur duly signed in sealed envelope on or before Date:- 07.02.2023, Time:- Upto 5.00 Pm.
- 5 Detailed description of items are available in the Office of the Executive Engineer, NMC, Nagpur
- 6 Details of item with pictorial representation are also available on the website of NMC, Nagpur <https://www.nmcnagpur.gov.in/assets>

Add No.


Executive Engineer
Nagpur Municipal Corporation Nagpur.

IMAGES OF NON SOR ITEMS

Sr. No.	Item Name	Reference Image	Qty.	Unit
1	Providing and fixing Signage on ACP Board having a size of 29(L)x2.5(H)x0.25(D) in feet. Letters "Vasudhaiva Kutumbakam" in font as per the given image. The total inches for letters are approx. 350. Medium of letters: SS in Bronze/RoseGold finish. SS backlit letter having SS grade 304, letter depth 1inches and 10mm solid acrylic. LED wattage 1.5w per no., Modular LEDs pf Warm white color behind SS Letters. SMPS of suitable rating and make preferably E-POWER with a warranty of 2 years. MS frame of 18 gauge and 3kg Square Pipe to be used for holding ACP Panel Board to be installed on a ready brick wall using required fixtures and fasteners. 141 Inch vasudhaiva kutumbakam 166 Inch 240 6/3"		1	No.
2	MS Railing with CNC Cut designer jali. Outer frame in MS Pipe 2"x4". Frame Size Length 1M x Height 0.91M. MS Sheet thickness 3mm. CNC cut sheet welded to MS Pipes on all the edges of sheet. Vertical frame pipes extended to a length of 0.2m outside the frame for the purpose of fixing into a concrete pedestal.		150	Mtr
3	Providing and fixing Wall cladding with Mars green quartz stone with acid itching design approved by Architect-in-charge + CNC having thickness of 15-18 mm durable enough to withstand on wall which is exposed to water, dust and sunlight.		70	Sqm

4	Providing and fixing inground recessed Stainless steel body non integral 1W cutout 25mm×35mm×55mm Stainless Steel body. Make suncity/ hybec 3K. With outdoor driver IP67. Warranty on complete product for 2years.		216	No.
---	---	---	-----	-----

Supply & Installation of Waltzing Tension Coil Surround 11ft For Turbocharger 4mm GI and Waltzing Tension Coil Surround 14 ft For Turbocharger 4mm GI Swing turbocharger Nozzle with chrome plated 70Nos in 11ft Nos. In 14ft 1no. jet made from Stainless steel 316 Hi jet. comprise of 38no. 3 color) 24v x 18w waterproof sequencing lights. Overall length of light body shall be cover ring luminaries shall have die cast SS-316 Steel alloy bodies for strength and totally protected by fused epoxy polyester coating on all surfaces. Imported stand shall be mounted in between sandwich of two pieces of toughened glass of 90 mm die each sealed by a high-quality elastomeric gasket. Bulb shall be reflector type fitted in ceramic holder with required size of submersible cable of copper conductor engineering steel Microprocessing based microprocessor programmable Data sender Colors' changing controller for 18w lights Microprocessing based microprocessor togrammable Data receiver Colors' changing controller for lights (for light model- 18w Modal- Aquarius /SQ23v DC (max height- effect 3 to 4mtr) Digital Control panel in microprocessor based Controller: different 7 pattern fully automatic, solid state switching device, slow fast motion Control made with Aquarius Technology Digital control for Motor sequencing through command from control by Fountain console for 3 Nos Motor Make- Aquarius sheet steel paint finish enclosure back wall mounting type provision for incoming and outgoing cable entry panel for 2nos. 5 Hp Pump and 1 Nos., 2 HP with starter M.C.B.'s 63amp ammeter, Voltmeter, single phasing preventer, overload protection & indicating light, etc. Electrical panel of cubical type wall/floor mounted, the interconnection shall be carried out with suitable size cables, for recirculation pump in coming MCB', starters, Ammeter, Voltmeter, Single phase preventer & MCB for lights. Set of incoming 3Pole MCB 63 Amp L&T 1nos. Bus Bar 25mm Ammeter for current rating of pump make – AE (Automatic electric) Voltmeter AE (automatic electric) Phase indicating lamps. make L&T ESBEE Push button on / off switches for pump. make L&T ESBEE Fan 4" x 1nos. complete with internal wiring Control Electric panel shall be protected against dust and jets of water per rating IP55 and shall have been tested made with Aquarius Technology / PEM Fountain / WET Design any One as per available - Necessary UPVC pipe work, accessories, with control valve No. 01 for each jet comprising as follows Pump set & electric Wiring comprise of one no. mono submersible pump set of 2nos 5HP, 1Nos 2HP, pump suction covered with large area filter, filter body Cast Iron, MS Section filter with SS mesh with required nut bolts and hardware and doubled insulated sub merciless cable with copper conductor of required size Make: Aquarius Technology / PEM Fountain / WET Designs

